

## Product data sheet.

# Liquid Nitrogen, High Tech.



#### **Application**

This quality is principally used in connection with high-quality production of electronics, microelectronics, optical fibres, high-purity chemical production plus for laboratory purposes.

#### Physical properties

Liquid Nitrogen is a colourless and odourless liquid, which is lighter than water. As a gas it is colourless-tasteless as well as odourless. Nitrogen is neither inflammable in itself, nor will the substance nourish fire. Atmospheric air contains 79.09 vol. % nitrogen and nitrogen gas is a little lighter than air. Nitrogen is easier soluble in water. Nitrogen is inert, except at high temperatures, where it reacts with few active metals, e.g. lithium, magnesium and titanium, and forms nitrides. It creates nitric oxide and nitrogen dioxide in reaction with oxygen, ammonia with hydrogen and nitrogen sulphide with sulphur. Liquid nitrogen is produced from air via distillation in an air-separation-system.

#### Specification

Material No. 105327

**Product name:** Liquid Nitrogen, High Tech

Purity		
Nitrogen (N <sub>2</sub> incl. Ar)	≥ 99,999 vol. %	
Impurities		
Oxygen (O <sub>2</sub> )	≤ 3 ppm	
Water (H <sub>2</sub> O)	≤ 3 ppm	
Carbon monoxide (CO)	≤ 1 ppm	
Carbon dioxide (CO <sub>2</sub> )	≤ 2 ppm	
Hydro-carbon (C <sub>n</sub> H <sub>m</sub> )	≤ 1 ppm	

The specifications are exclusively valid for deliveries in pressure tanks.

### Physical data

Gas type	Boiling Point	Latent heat of	Specific Heat
		vaporization	Capacity (15° C)
Nitrogen, N <sub>2</sub> , LIN	-196° C	198 kJ/kg	1,04 kJ/kg K
Conversion Factor	ors	Critical Values	
1 nm³=1,419litre	= 1,148 kg	Critical Temperature –147,1° C	
1 litre = 0,705 nr	m³ = 0,808 kg	Critical pressure 33,9 bar	
1 kg = 0,872 nm	<sup>3</sup> = 1,237 litre	Critical Density 0,311 kg/l	
4 3 4 3 - 1 4 50 4	Lo 00 KP-	The live decimation is used for one in its liquid above	

1 nm³=1 m³ at 15° C and 0,98 KPa.

The litre-designation is used for gas in its liquid phase.